



LG

**COMMERCIAL
LAUNDRY**

BW

PROFESSIONAL LAUNDRY PRODUCTS



10 kg
max 13 kg



10 kg




**12-15
kg/h**




15 kg
max 18 kg



14 kg



**35
kg/h**



LG Giant-C MAX

PROFESSIONAL WASHER



LG DIRECT DRIVE MOTOR

The motor is directly attached to the drum which increases stability and durability and reduces vibration and noise.

CUSTOMIZED CYCLES

Owners can program of up to 20 fully customized washing programs

FLEXIBLE INSTALLATION

LG professional tumble dryers have the option of being mounted on a washing machine or tumble dryer.

HYGIENE COURSE

Remove 99.9% of the germs, with special programs 90°C and 75°C.

ESTIMATION OF LAUNDRY AMOUNT

Washer adjusts the water level to the amount of linen, saving water and energy at less than full load

TUB CLEANING SYSTEM


Dirty tub from hours of long operation can affect washing performance. Our tub cleaning program helps you keep a clean tub even in the busiest locations.

SELF-HEATING SYSTEM

Washing machines have hot and cold water inlets where the heating system detects the water temperature and automatically adjusts the heating time. This saves time and reduces electricity consumption by up to 75%. Save time as heaters do not need time to heat cold water.

STAINLESS STEEL DRUM

The stainless steel drum makes professional washing machines durable and long lasting.



Add-ons and accessories
- possible connection to:
BWO3 OZONE GENERATOR
AUTOMATIC DOSING PUMPS
PAYMENT SYSTEMS



TECHNICAL FEATURES

Capacity	10 kg
Max drum capacity	13 kg
Drum volume	102,7 lit.
Preset programs	90°C / 75°C / 60°C / 30°C or 40°C / Cold
Number of additional programs	20
Heater on/off flexibility	Yes
Program duration (60°C)	57 min
Total power	3,6 kW
Electric ratings	220-240V / 50Hz
Extract (high speed) rpm	1200
G-force	451
Noise level	< 62 dB
Drain pump	Yes
Net weight	87 kg
Gross weight	96 kg
Dimensions - product	686 x 767 x 983 mm
Dimensions - carton	755 x 795 x 1127 mm



**WATER
SAVINGS**




**ENERGY
SAVINGS**




**DETERGENT
SAVINGS**



FRONT




SIDE



The information provided in this leaflet is subject to change. Photos may not fully correspond to the actual appearance of the product.

LG Titan-C MAX

PROFESSIONAL WASHER



BIGGEST DRUM IN CLASS

With the largest drum in its class, this is an ideal washing machine for those who don't need industrial machine, but want larger capacity.

LG DIRECT DRIVE MOTOR

The motor is directly attached to the drum which increases stability and durability and reduces vibration and noise.

CUSTOMIZED CYCLES

Owners can program of up to 20 fully customized washing programs

FLEXIBLE INSTALLATION

LG professional tumble dryers have the option of being mounted on a washing machine or tumble dryer.

HYGIENE COURSE

Remove 99.9% of the germs, with special programs 90°C and 75°C.

ESTIMATION OF LAUNDRY AMOUNT

Washer adjusts the water level to the amount of linen, saving water and energy at less than full load

TUB CLEANING SYSTEM


Dirty tub from hours of long operation can affect washing performance. Our tub cleaning program helps you keep a clean tub even in the busiest locations.

SELF-HEATING SYSTEM

Washing machines have hot and cold water inlets where the heating system detects the water temperature and automatically adjusts the heating time. This saves time and reduces electricity consumption by up to 75%. Save time as heaters do not need time to heat cold water.

STAINLESS STEEL DRUM

The stainless steel drum makes professional washing machines durable and long lasting.



Add-ons and accessories
- possible connection to:
BW03 OZONE GENERATOR
AUTOMATIC DOSING PUMPS
PAYMENT SYSTEMS



TECHNICAL FEATURES

Capacity	15 kg
Max drum capacity	18 kg
Drum volume	147 lit.
Preset programs	90°C / 75°C / 60°C / 30°C or 40°C / Cold
Number of additional programs	20
Heater on/off flexibility	Yes
Program duration (60°C)	59 min
Total power	3,8 kW
Electric ratings	220-240V / 50Hz
Extract (high speed) rpm	1000
G-force	342
Noise level	< 60 dB
Drain pump	Yes
Net weight	101 kg
Gross weight	112,5 kg
Dimensions - product	737 x 814 x 1036 mm
Dimensions - carton	788 x 846 x 1125 mm



WATER SAVINGS




ENERGY SAVINGS




DETERGENT SAVINGS



FRONT



SIDE



The information provided in this leaflet is subject to change. Photos may not fully correspond to the actual appearance of the product.

LG Giant-C PRO

PROFESSIONAL DRYER



LARGE DRUM VOLUME

Compatible load with LG commercial washing machine 10kg

SENSE DRY

The temperature and moisture sensor automatically checks the temperature and humidity of the laundry and adjusts the drying length.

FLOW SENSING

The LED of Flow Sense flashes when the duct is blocked by lint. If the LED flashes, the manager can know the necessity to check and clean the duct.

HYGIENE CARE SYSTEM

Removes 99.9% of the germs on fabrics and clothing when running the High Temperature Cycle for drying.

FLEXIBLE INSTALLATION


LG professional tumble dryers have the option of being mounted on a washing machine or tumble dryer.

ADAPTABLE™ CONTROLS

Easy to reach controls let you save space without compromising capacity. The controls are always within reach and are versatile enough to meet user needs. (ELECTRIC ONLY)

ADAPTIVE DOOR

Depending on your shop's set-up or your personal preference, owner can make the best use of space by easily changing the door orientation to open to the left or right.



Vented dryer

Add-ons and accessories
- possible connection to:
PAYMENT SYSTEMS



TECHNICAL FEATURES


Heating type	Electric
Capacity	10 kg
Drum volume	207 lit.
Preset programs	High temp. / Med temp. / Low temp / No heat
Heating power	5,4 kW
Electric Ratings	220-240V / 50Hz
Type of drying	Ventilation
Net weight	59 kg
Gross weight	65 kg
Net dimensions	686 x 764 x 983 mm
Gross dimensions	760 x 795 x 1170 mm




**ENERGY
SAVINGS**



FRONT




SIDE




STACKED INSTALLATION

Washer & Dryer



Dryer & Dryer



The information provided in this leaflet is subject to change. Photos may not fully correspond to the actual appearance of the product.

LG Titan-C Light

PROFESSIONAL DRYER



LARGE DRUM VOLUME

Compatible load with LG commercial washing machine.

FLOW SENSING

The LED of Flow Sense flashes when the duct is blocked by lint. If the LED flashes, the manager can know the necessity to check and clean the duct.

HYGIENE CARE SYSTEM

Removes 99.9% of the germs on fabrics and clothing when running the High Temperature Cycle for drying.

FLEXIBLE INSTALLATION


LG professional tumble dryers have the option of being mounted on a washing machine or tumble dryer.

ADAPTABLE™ CONTROLS

Easy to reach controls let you save space without compromising capacity. The controls are always within reach and are versatile enough to meet user needs. (ELECTRIC ONLY)

ADAPTIVE DOOR

Depending on your shop's set-up or your personal preference, owner can make the best use of space by easily changing the door orientation to open to the left or right.



Vented dryer

**Add-ons and accessories
- possible connection to:
PAYMENT SYSTEMS**



TECHNICAL FEATURES

Heating type	Electric	Gas
Capacity	14 kg	14 kg
Drum volume	254 lit.	254 lit.
Preset programs	High temp. / Med temp. / Low temp / No heat	High temp. / Med temp. / Low temp / No heat
Heating power	5,4 kW	7,4 kW
Connection power	5,4 kW	0,4 kW
Electric Ratings	220-240V / 50Hz	220-240V / 50Hz
Type of drying	Ventilation	Ventilation
Net weight	68 kg	68 kg
Gross weight	76 kg	76 kg
Net dimensions	737x 810 x 1022 mm	737x 810 x 1022 mm
Gross dimensions	788 x 846 x 1146 mm	788 x 846 x 1146 mm




ENERGY
SAVINGS



FRONT

SIDE

STACKED INSTALLATION



The information provided in this leaflet is subject to change. Photos may not fully correspond to the actual appearance of the product.

► COIN PAYMENT SYSTEM

Basic self-service payment system for laundromats which is easy to use for both customers and owners.

This payment system consists of change machine where the user can exchange bills for coins or tokens and coin box where the client inserts coins or tokens and thereby enables a washing or drying cycle.

Possible connection to the fiscalization system.

CHANGE MACHINE



- The money changer is intended for changing bills into coins or tokens.
- Capacity of coins 1000 pcs
- The gearbox has the ability to eject one type of tokens / coins.
- It is possible to mount it on the wall or on free-standing stand (purchased separately)

BW COIN BOX WITH MECHANISM



- Coin boxes are used for payment via coins or tokens.
- Works on local currency or tokens (jetons)
- Stainless steel casing with door for collecting coins / tokens
- Can be used for one machine (single) or for the tower/two machines (double)
- Laser coin reader"



JETONS - 50/1 PCS


- Metal jetons
- Specially designed for BW coin boxes

PAYMENT SYSTEMS FOR LAUNDROMATS ARE IDEAL FOR SELF-SERVICE LAUNDRIES, CAMPS, AND MARINAS, STUDENT DORMITORIES, ACCOMMODATION FACILITIES FOR WORKERS, ETC., EVERYWHERE IT IS DESIRED TO HAVE WASHING AND DRYING SERVICES DONE BY THE USERS THEMSELVES

► CASHLESS (CARD& PREPAID) PAYMENT SYSTEMS

More advanced payment systems that offer the option of paying with bank cards, mobile payment, via QR code or with prepaid cards or keys. An option for anyone who wants a cashless payment available.

CARD PAYMENT TERMINAL



- Terminal with support for cashless payment up to 6 devices
- Touch screen with integrated camera
- One device that accepts all types of cashless payment in real time:
 - Credit and debit cards
 - Mobile and NFC payment
 - Prepaid cards
 - QR payment code
- It is mounted on the wall of the laundry room

PREPAID PAYMENT TERMINAL



- Payment system with prepaid cards or prepaid keys
- Payment is made by inserting a card or key into the reader.
- Recharging cards or keys via countertop recharge box
- Mounted directly on the device (washing machine or dryer)"



Countertop recharge box

BW

OZONE GENERATOR



**REMOVES ALL
UNPLEASANT ODOURS**



**EASY
INSTALLATION**



**LAUNDRY SOFTNESS
WITHOUT FABRIC SOFTENER**

**CONVERTS COLD WATER INTO
AN ECOLOGICAL DISINFECTANT**



**WARRANTY FOR
COMMERCIAL USE**

► HYGIENE

Ozone-enriched water disinfects, eliminates bacteria, neutralizes viruses and removes odours, even in a cold water washing program. This also makes it suitable for disinfecting sensitive laundry.

As an environmentally friendly disinfectant, it kills microbes more effectively than chlorine. Since it decomposes into ordinary oxygen, there is no unwanted residue on clothes and inside of the washing machine.

► FRAGRANT & SOFT

Ozone-enriched water removes unpleasant odours, even from mold or smoke.

Ozone enters into the structure of the fabric and makes it soft while reducing static electricity, which results in softer, richer bedding without the need for fabric softener.

► SAVING

Using an ozone generator in each cycle, can significantly reduce running costs.

If you are disinfecting with ozonated water, you don't have to use long cycles and high temperatures for thermal disinfection, thus saving time, electricity and water. The result is higher productivity.

The need to use disinfectants in the form of strong chemicals and softeners has been reduced, thus reducing the cost of consumables.



IT IS IDEAL FOR SELF-SERVICE AND SERVICE LAUNDRIES, HEALTH FACILITIES, NURSING HOMES, SPORTS CLUBS AND OTHER COMPANIES THAT NEED ADDITIONAL LAUNDRY DISINFECTION.

Technical information


Ozone concentration: from 0,5 to 1 mg/l
Net dimensions (WxDxH): 480x80x240 mm
Gross dimension of package (WxDxH): 530x153x318 mm
Net weight: 3 kg
Gross weight: 4,55 kg



The information provided in this leaflet is subject to change. Photos may not fully correspond to the actual appearance of the product.



Automatic Dosing System



LG PROFESSIONAL DEVICES ARE ADAPTED FOR USE IN AN AUTOMATIC DOSING SYSTEM



Automatic dosing kit for pre wash detergent, main wash detergent and fabric softener, uniquely designed for LG's Giant-C and Titan C washers

Highly efficient (7 times stronger than traditional pumps, very short dosing times)

Long service life and reduced maintenance

Quick and easy installation

Mounting on back side of washing machine and doesn't take up extra space

Easy programming directly on the washing machine




TECHNICAL SPECIFICATIONS

Device type	Automatic dosing kit
Operation mode	Automatic dosing kit for pre wash detergent, main wash detergent and fabric softener
Types of devices to which it can be connected	LG Professional washing machines Giant-C and Titan-C series
Dosage time adjustment	From 1s to 20s
Flow depending on viscosity of liquids	28 ml/s to 38 ml/s
Mounting type	On the back of the Giant-C or Titan-C
Power supply	220V / 50Hz, 30W / 0,03kW Interface on the back of the washer
Noise level	≤ 55dB
Device dimensions (WxDxH)	460x90x100 mm
Device packaging dimensions (WxDxH)	580x160x220 mm
Net weight	2,2 kg
Gross weight	3,3 kg

The information provided in this leaflet is subject to change. Photos may not fully correspond to the actual appearance of the product.

BW

COMMERCIAL FLATWORK IRONER



INTERFACE IN LOCAL LANGUAGE CONTAINS

- Instructions and troubleshooting guide (13 languages)
- Manual adjustment of speed and temperature or 50 set programs
- Sleep mode and many other options..."



WIDTH
140 cm



HOURLY PRODUCTION
35 kg/h (20-25%)



WARRANTY
for commercial use



MAINTENANCE
low costs

• DURABLE DESIGN

The hard chromed steel chest provides excellent resistance to friction and chemicals, and thus exceptional longevity. Cover is resistant to high temperatures and abrasion which ensures 4.000+ hours of smooth operation.

• ERGONOMIC AND SAFETY DESIGN

The smart foot pedal stops the roller from turning and leaves your hands free to adjust the bedding in the feeding process.

• SELECTION OF IRONING TEMPERATURE ACCORDING TO TYPE OF TEXTILES

Choose between 50 programs to suit the processed fabric or manually adjust the ironing speed and temperature level (manual mode).

• TOUCH SCREEN DISPLAY

The touch screen display includes simple step-by-step instructions that guide you through the use of the device.

• TEMPERATURE CONTROL

Dual temperature control (Gemini sensors) with a safety thermostat contains two sensors that monitor the temperature over the entire ironing surface.

• ENERGY SAVING

The Sleep mode function saves energy and reduces operating costs during the breaks between ironing sessions.





TEHNICAL SPECIFICATIONS

Roller dimensions	1400 mm
Diameter of the roller	250 mm
Interchangeable voltage	YES
Interchangeable voltage	400V/3N/50Hz or 220V/1N/50Hz
Hourly production	35 kg/h
Ironing speed	1-5 m/min
Heating power	7,5 kW
Heating type	Electric
Temperature control	YES
Number of programs 50	(9 basic, 41 programmable)
Residual moisture	20-25%
Touch screen display	YES
Dimensions	1920x492x1050 mm
Weight	151 kg
Commercial use	YES



*The information provided in this leaflet is subject to change. Photos may not fully correspond to the actual appearance of the product.

e² LINE IS IDEAL FOR RESTAURANTS AND HOTELS, LAUNDRIES, DRY CLEANERS, KINDERGARTENS, HOMES FOR THE OLDER, FOOD AND PHARMACEUTICAL INDUSTRY AS WELL AS FOR VARIOUS MANUFACTURING COMPANIES.

BW

COMPACT FLATWORK IRONER WITH STEAM FUNCTION



WIDTH
85 cm



CAPACITY
12-15 kg/h



STEAM IRONING



WARRANTY
for commercial use

► SIMPLE IRONING WITH THE STEAM FUNCTION

3 steam settings: low, medium and high (with the option on-demand or continuous steam release).

► SELECTION OF IRONING TEMPERATURE ACCORDING TO TYPE OF TEXTILES

Easy selection with the push of buttons; 5 temperature settings.

► LATERALLY OPEN ON BOTH SIDES

For ironing larger pieces and uneven laundry without fear of creasing during work.

► INSERTING AND REMOVING LAUNDRY FROM THE FRONT SIDE

Allows you to iron laundry while sitting and without effort. When you run the laundry through it, it is deposited on the stacking table below the ironer itself, which eliminates unnecessary walking.

► FOOT PEDAL CONTROL

For raising and lowering the roller and for speed regulation. Variable roller speed continuously adjustable.

► SAVE TIME AND SPACE

Several times faster ironing compared to a manual iron. Saves storage space thanks to the folding mechanism and wheels.

IDEAL FOR APARTMENTS, RESTAURANTS, SMALL HOTELS AND HOSTELS, CLEANING COMPANIES, LAUNDRIES, HOMES FOR THE ELDERLY AND OTHERS.



Working surface	850 mm
Diameter	160 mm
Voltage	220V / 50Hz
Capacity	12-15 kg/h
Ironing speed from	1-3 m/min
Power	3,3 kW
Number of temperature settings	5
Number of steam settings	3
Water container capacity	0,9 L
Ironing with residual moisture	10-15%
The possibility of folding	YES
Dimensions mm	940x400x1050
Weight	40 kg
Machine for professional (commercial) use	YES

The information provided in this leaflet is subject to change. Photos may not fully correspond to the actual appearance of the product.

BW

PROFESSIONAL IRONING TABLE

SUCTIONING BRACKET AND
TEFLON SHOE INCLUDED



IRONING SURFACE

112x42 cm



CAPACITY

Up to 3 hours
with one load



PROFESSIONAL IRON



WARRANTY for commercial use

► FOLDABLE AND EASY TO TRANSPORT

Saves space thanks to the folding
option and transporting on wheels.

► TEMPERATURE CONTROL

Selection of ironing temperature
according to type of textiles.

► HEATED TABLE SURFACE

Heated table surface with
temperature regulation enables
better ironing performance.

► BOILER CAPACITY 3.5 l

The large capacity copper boiler
is enough for up to 3 hours of
uninterrupted ironing with one
load.

► SUCTION CONTROL THROUGH THE FOOT PEDAL

Easy to switch on and off suction
to avoid laundry sliding off the
table surface.

► CLOTH HOLDER

An additional shelf under the work
surface of the table for storing
laundry or as a holder for large
items such as sheets so that they
don't come in contact with the
floor.

IDEAL FOR APARTMENTS, RESTAURANTS, SMALL HOTELS AND HOSTELS,
CLEANING COMPANIES, LAUNDRIES, HOMES FOR THE ELDERLY AND OTHERS.



BW BF84

HEATED BOARD POWER	700 W
BOILER CAPACITY	3,5 lit
BOILER POWER	1300 W
IRON POWER	850 W
ELECTRICAL RATING	230V / 50Hz
IRONING SURFACE	112×42 cm
WEIGHT	35 kg



BW